

Customer


Technical data

Glanded standard pump Atmos GIGA-N 150/250-30/4

Project name: Untitled project 2023-04-17 10:24:42.119

Project ID
Installation location
Customer pos. No.

Date: 17.04.2023



Requested data

Flow
Head
Media: Water 100 %
Fluid temperature: 20,00 °C
Density: 998,30 kg/m³
Kin. viscosity: 1,00 mm²/s

Hydraulic data (Duty point)

Flow
Head
Shaft power P2
Hydraulic efficiency
NPSH
Impeller size: 270

Product data

Glanded standard pump
Atmos GIGA-N 150/250-30/4
Max. operating pressure: 1,6 MPa
Fluid temperature: -20 °C ... +140 °C
Max. ambient temperature: 40 °C
Minimum efficiency index (MEI): ≥ 0.4

Motordata per Motor/Pump

Motor efficiency level: IE3
Mains connection: 3~ 400 V / 50 Hz
Permitted voltage tolerance: +-10 %
Max. speed: 1480 1/min
Rated power P2: 30,00 kW
Rated current: 57,10 A
Power factor: 0,75
Efficiency: 50% / 75% / 100% → 92,9/93,6/93,7%
Degree of protection: IP55
Insulation class: F
Motor protection: PTC integrated

Fitting dimensions


Pipe connection on the suction side: DN 200, PN 16
Pipe connection (pressure side): DN 150, PN 16
Port to Port

Materials

Pump housing: 5.1301/EN-GJL-250
Impeller: EN-GJL-200
Lantern: 5.1301/EN-GJL-250
Shaft: 1.4021
Shaft seal: AQ1EGG

Information for order placements

Weight approx.: 633 kg
Item number: 6086281



Dimensions

mm

DN1	DN 200, PN16	720	L3	1640	
DN2	DN 150, PN16	375	L4	1670	
A	160	H3	403	S1	320
B2	660	L	1597	S4	29
B3	600	L2	290	X	140

Hydraulic data

Glanded standard pump
Atmos GIGA-N 150/250-30/4

Project name: Untitled project 2023-04-17 10:24:42.119


Project ID
Installation location
Customer pos. No.

Date: 17.04.2023

Operating data

Speed 1482 1/min	Frequency 50 Hz	Duty point Q =	H =	Suction port DN 200	Discharge port DN 150
----------------------------	---------------------------	--------------------------	------------	-------------------------------	---------------------------------

Power data referred to: Water; 20°C; 998,3kg/m³; 1,005mm²/s ±10% tolerance with linear U/f frequency control



Contact
E-mail
Phone

Customer

Contact
E-mail
Phone


Dimensions

Glanded standard pump
Atmos GIGA-N 150/250-30/4

Project name Untitled project 2023-04-17 10:24:42.119

Project ID
Installation location
Customer pos. No.

Date 17.04.2023



Coupling with spacer

Suction side DN 200, PN 16
Discharge side DN 150, PN 16

Dimensions mm

Name	Value	Name	Value	Name	Value	Name	Value
DN1	DN 200, PN 16	H3	403	X	140		
DN2	DN 150, PN 16	L	1597				
A	160	L2	290				
B2	660	L3	1640				
B3	600	L4	1670				
H	720	S1	320				
H2	375	S4	29				